

SAFETY DATA SHEET

Issue Date 25-Sep-2015 Revision Date 03-Aug-2022 Version 1

1. IDENTIFICATION

Product identifier

Product Name Fusionbond 375A

Other means of identification

Product Code MS-375A UN/ID no. UN1133 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 1 Sub-category A |
|--|---------------------------|
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable liquids | Category 2 |

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure

Highly flammable liquid and vapor



Appearance No information available

Physical state Liquid

Odor Pungent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical/ventilating/lighting/equipment

Keep cool

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed May be harmful in contact with skin.

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------------|---------|----------|--------------|
| METHYL METHACRYLATE | 80-62-6 | 30 - 60 | * |

| METHACRYLIC ACID | 79-41-4 | 5 - 10 | * |
|--------------------------------------|------------|--------|---|
| POLYETHYLENE GLYCOL DIMETHACRYLATE | 25852-47-5 | 5 - 10 | * |
| T-BUTYL PERBENZOATE | 614-45-9 | 1 - 5 | * |
| BUTYLENE GLYCOL DIMETHACRYLATE, 1, 3 | 1189-08-8 | 1 - 5 | * |
| BUTYL HYDROXY TOLUENE | 128-37-0 | 1 - 5 | * |
| CUMENE HYDROPEROXIDE | 80-15-9 | 1 - 5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Avoid contact with skin and eyes. Immediately flush eyes or skin with plenty of water for at

least 15 minutes while removing contaminated clothing and shoes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Aldehydes. Organic acids.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

MS-375A - Fusionbond 375A

Revision Date 03-Aug-2022

Personal precautions

Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containmentAbsorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so

without hazard. Immediately contact emergency personnel. Keep unnecessary personnel

away. Avoid contact with material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials Oxidizing agents. Strong alkalis. Strong acids. Strong bases. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|---|--------------------------------------|----------------------------|
| METHYL METHACRYLATE | STEL: 100 ppm | TWA: 100 ppm | IDLH: 1000 ppm |
| 80-62-6 | TWA: 50 ppm | TWA: 410 mg/m ³ | TWA: 100 ppm |
| | | (vacated) TWA: 100 ppm | TWA: 410 mg/m ³ |
| | | (vacated) TWA: 410 mg/m ³ | |
| METHACRYLIC ACID | TWA: 20 ppm | (vacated) TWA: 20 ppm | TWA: 20 ppm |
| 79-41-4 | | (vacated) TWA: 70 mg/m ³ | TWA: 70 mg/m ³ |
| | | (vacated) S* | |
| BUTYL HYDROXY TOLUENE | TWA: 2 mg/m ³ inhalable fraction | (vacated) TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 128-37-0 | and vapor | | _ |

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Pungent

Color Amber Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing pointNo information availableBoiling point / boiling range101 °C / 214 °F

Flash point 8 °C / 46 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:12.5% Methyl MethacylateLower flammability limit:2.1% Methyl MethacylateVapor pressure29.25 mmHg @20℃

Vapor density 3.5 Relative density 1.05

Water solubility Slightly soluble

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization may occur.

Hazardous polymerization Hazardous polymerization may occur.

Conditions to avoid

Keep away from heat, sparks and open flame. Excessive heat. Extremes of temperature and direct sunlight.

Incompatible materials

Oxidizing agents. Strong alkalis. Strong acids. Strong bases. Amines.

Hazardous Decomposition Products

None.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data availableEye contactNo data availableSkin contactNo data availableIngestionNo data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------------|--------------------------|----------------------------|-----------------------|
| METHYL METHACRYLATE 80-62-6 | 8420 - 10000 mg/kg (Rat) | 5000 - 7500 mg/kg (Rabbit) | = 7093 ppm (Rat) 4 h |
| METHACRYLIC ACID 79-41-4 | = 1060 mg/kg (Rat) | 500 - 1000 mg/kg (Rabbit) | = 7.1 mg/L (Rat) 4 h |
| T-BUTYL PERBENZOATE 614-45-9 | = 1012 mg/kg (Rat) | - | - |
| BUTYL HYDROXY TOLUENE 128-37-0 | > 2930 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| CUMENE HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------------|-------|---------|-----|------|
| METHYL METHACRYLATE | - | Group 3 | = | - |
| 80-62-6 | | • | | |
| BUTYL HYDROXY | = | Group 3 | - | - |
| TOLUENE | | · | | |
| 128-37-0 | | | | |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 2,920.00 mg/kg

 ATEmix (dermal)
 3,455.10 mg/kg

 ATEmix (inhalation-vapor)
 38.9056 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------------------------|---|--|-------------------------------------|
| METHYL METHACRYLATE 80-62-6 | 170: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 125.5 - 190.7: 96 h Pimephales promelas mg/L LC50 static 153.9 - 341.8: 96 h Lepomis macrochirus mg/L LC50 static 170 - 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 243 - 275: 96 h Pimephales promelas mg/L LC50 flow-through 326.4 - 426.9: 96 h Poecilia reticulata mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 79: 96 h Oncorhynchus mykiss mg/L LC50 static | 69: 48 h Daphnia magna mg/L EC50 |
| METHACRYLIC ACID 79-41-4 | - | 85: 96 h Oncorhynchus mykiss mg/L LC50 flow-through | - |
| T-BUTYL PERBENZOATE 614-45-9 | - | 1.6: 96 h Danio rerio mg/L LC50 semi-static | - |
| BUTYL HYDROXY TOLUENE 128-37-0 | 6: 72 h Pseudokirchneriella subcapitata mg/L EC50 0.42: 72 h Desmodesmus subspicatus mg/L EC50 | - | - |
| CUMENE HYDROPEROXIDE 80-15-9 | - | 3.9: 96 h Oncorhynchus mykiss mg/L LC50 static | - |

Persistence and degradability No information available.

Bioaccumulation

| Chemical Name | Partition coefficient |
|-----------------------|-----------------------|
| METHYL METHACRYLATE | 0.7 |
| 80-62-6 | |
| METHACRYLIC ACID | 0.93 |
| 79-41-4 | |
| BUTYL HYDROXY TOLUENE | 4.17 |
| 128-37-0 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes**

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------|------|---------------------------|------------------------|------------------------|
| METHYL METHACRYLATE | U162 | Included in waste stream: | - | U162 |
| 80-62-6 | | F039 | | |
| CUMENE | - | - | - | U096 |
| HYDROPEROXIDE | | | | |
| 80-15-9 | | | | |

| Chemical Name | California Hazardous Waste Status |
|---------------------|-----------------------------------|
| METHYL METHACRYLATE | Toxic |
| 80-62-6 | Ignitable |

| T-BUTYL PERBENZOATE 614-45-9 | Ignitable Reactive |
|---------------------------------|-----------------------|
| CUMENE HYDROPEROXIDE | Toxic |
| 80-15-9 | Ignitable |

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group II

Special Provisions (Not more than 5L) Consumer Commodity ORM-D

Marine pollutant None known.

IATA

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group II
Special Provisions None

IMDG

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group II
Special Provisions None
Marine pollutant None

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| METHYL METHACRYLATE - 80-62-6 | 1.0 |
| CUMENE HYDROPEROXIDE - 80-15-9 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| METHYL METHACRYLATE 80-62-6 | 1000 lb | - | - | X |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------|--------------------------|----------------|--------------------------|
| METHYL METHACRYLATE | 1000 lb | - | RQ 1000 lb final RQ |
| 80-62-6 | | | RQ 454 kg final RQ |
| CUMENE HYDROPEROXIDE | 10 lb | - | RQ 10 lb final RQ |
| 80-15-9 | | | RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------------|------------|---------------|--------------|
| METHYL METHACRYLATE 80-62-6 | X | X | X |
| METHACRYLIC ACID 79-41-4 | X | X | X |
| T-BUTYL PERBENZOATE 614-45-9 | X | X | X |
| BUTYL HYDROXY TOLUENE 128-37-0 | X | X | X |
| CUMENE HYDROPEROXIDE 80-15-9 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

<u>HMIS</u> Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date SDS coordinator 25-Sep-2015

03-Aug-2022 **Revision Date**

Revision Note No information available

<u>Disclaimer</u>
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

Issue Date 03-Jun-2015 Revision Date 03-Aug-2022 Version 1

1. IDENTIFICATION

Product identifier

Product Name Fusionbond 375B

Other means of identification

Product Code MS-375B UN/ID no. UN1133 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|--|------------|
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids | Category 2 |

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause respiratory irritation
Highly flammable liquid and vapor



Appearance No information available

Physical state Liquid

Odor Pungent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical/ventilating/lighting/equipment

Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed

May be harmful in contact with skin.

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| METHYL METHACRYLATE | 80-62-6 | 60 - 100 | * |
| 3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine | 34562-31-7 | 1 - 5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

MS-375B - Fusionbond 375B

Revision Date 03-Aug-2022

Description of first aid measures

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Flammable.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Aldehydes. Organic acids.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up

Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. Immediately contact emergency personnel. Keep unnecessary personnel away. Avoid contact with material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials Oxidizing agents. Strong alkalis. Strong acids. Strong bases. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------|---------------|--------------------------------------|----------------------------|
| METHYL METHACRYLATE | STEL: 100 ppm | TWA: 100 ppm | IDLH: 1000 ppm |
| 80-62-6 | TWA: 50 ppm | TWA: 410 mg/m ³ | TWA: 100 ppm |
| | | (vacated) TWA: 100 ppm | TWA: 410 mg/m ³ |
| | | (vacated) TWA: 410 mg/m ³ | |

Appropriate engineering controls

Engineering Controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear protective gloves and protective clothing. Use rubber or plastic gloves. Skin and body protection

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Appearance No information available

Odor Color Blue

Odor threshold No information available

Pungent

Property Values Remarks • Method

pH Does not apply

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
101 °C / 214 °F
10 °C / 50 °F
No information available
No information available

Flammability Limit in Air

Upper flammability limit:12.5% Methyl MethacrylateLower flammability limit:2.1% Methyl MethacrylateVapor pressure29.25 mmHg @20°C

Vapor density 3.5 Relative density 0.97

Water solubility Slightly soluble

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) 1.82%

Density No information available Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Excessive heat.

Hazardous polymerization Hazardous polymerization may occur.

Conditions to avoid

Keep away from heat, sparks and open flame.

Incompatible materials

Oxidizing agents. Strong alkalis. Strong acids. Strong bases. Amines.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data available.Eye contactNo data available.

Skin contactNo data available.IngestionNo data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|--------------------------|----------------------------|---------------------|
| METHYL METHACRYLATE 80-62-6 | 8420 - 10000 mg/kg (Rat) | 5000 - 7500 mg/kg (Rabbit) | = 7093 ppm (Rat)4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

 Chemical Name
 ACGIH
 IARC
 NTP
 OSHA

 METHYL METHACRYLATE
 Group 3

 80-62-6

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 4,401.20 mg/kg

 ATEmix (dermal)
 4,166.40 mg/kg

 ATEmix (inhalation-vapor)
 31.0124 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|-------------------------------|-----------------------------------|-----------------------------|
| METHYL METHACRYLATE | 170: 96 h Pseudokirchneriella | 125.5 - 190.7: 96 h Pimephales | 69: 48 h Daphnia magna mg/L |
| 80-62-6 | subcapitata mg/L EC50 | promelas mg/L LC50 static | EC50 |
| | | 153.9 - 341.8: 96 h Lepomis | |
| | | macrochirus mg/L LC50 static | |
| | | 170 - 206: 96 h Lepomis | |
| | | macrochirus mg/L LC50 | |
| | | flow-through | |
| | | 243 - 275: 96 h Pimephales | |
| | | promelas mg/L LC50 flow-through | |
| | | 326.4 - 426.9: 96 h Poecilia | |
| | | reticulata mg/L LC50 static | |
| | | 79: 96 h Oncorhynchus mykiss mg/L | |
| | | LC50 flow-through | |
| | | 79: 96 h Oncorhynchus mykiss mg/L | |
| | | LC50 static | |

Persistence and degradability

No information available.

Bioaccumulation

| Chemical Name | Partition coefficient |
|---------------------|-----------------------|
| METHYL METHACRYLATE | 0.7 |
| 80-62-6 | |

Other adverse effects No information available

MS-375B - Fusionbond 375B

Revision Date 03-Aug-2022

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------|------|---------------------------|------------------------|------------------------|
| METHYL METHACRYLATE | U162 | Included in waste stream: | - | U162 |
| 80-62-6 | | F039 | | |

| Chemical Name | California Hazardous Waste Status |
|---------------------|-----------------------------------|
| METHYL METHACRYLATE | Toxic |
| 80-62-6 | Ignitable |

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group ||

Special Provisions (Not more than 5L) Consumer Commodity ORM-D

Marine pollutant None known.

IATA

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group II

IMDG

UN/ID no. UN1133
Proper shipping name Adhesives

Hazard Class 3
Packing Group II
Marine pollutant None

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

Properties -

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | |
|-------------------------------|-------------------------------|--|
| METHYL METHACRYLATE - 80-62-6 | 1.0 | |

SARA 311/312 Hazard Categories

Acute health hazard **Chronic Health Hazard** Fire hazard Sudden release of pressure hazard **Reactive Hazard**

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| METHYL METHACRYLATE 80-62-6 | 1000 lb | - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| METHYL METHACRYLATE | 1000 lb | - | RQ 1000 lb final RQ |
| 80-62-6 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------|------------|---------------|--------------|
| METHYL METHACRYLATE | X | X | X |
| 80-62-6 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Health hazards -Flammability -Instability -**Physical and Chemical** NFPA

HMIS Health hazards -Flammability -Physical hazards -Personal protection -

Prepared By SDS coordinator **Issue Date** 03-Jun-2015

03-Aug-2022 **Revision Date**

Revision Note No information available

<u>Disclaimer</u>
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet