

Issue Date 13-Feb-2019

Revision Date 13-Feb-2019

Version 1

**1. IDENTIFICATION**

**Product identifier**

**Product Name** Ultrabond 773

**Other means of identification**

**Product Code** MS-773  
**UN/ID no.** UN 3082  
**Synonyms** None

**Recommended use of the chemical and restrictions on use**

**Recommended Use** UV Adhesive  
**Uses advised against** None known

**Details of the supplier of the safety data sheet**

**Manufacturer Address**  
Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

**Emergency telephone number**

**Company Phone Number** 407-322-4000  
**Emergency Telephone** Chemtel 800-255-3924

**2. HAZARDS IDENTIFICATION**

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Specific target organ toxicity (single exposure)	Category 3

**Label elements**

**Emergency Overview**

**Danger**

**Hazard statements**

Harmful if inhaled  
Causes skin irritation  
Causes serious eye damage  
May cause an allergic skin reaction  
May cause respiratory irritation

**Appearance** No information available**Physical state** Gel**Odor** Mild**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Contaminated work clothing should not be allowed out of the workplace

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN: Wash with plenty of soap and water  
 Take off contaminated clothing and wash before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
 Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

May be harmful if swallowed  
 May be harmful in contact with skin  
 Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
HYDROXYETHYL METHACRYLATE	868-77-9	10 - 30	*
ISOBORNYL ACRYLATE	5888-33-5	10 - 30	*
ACRYLIC ACID	79-10-7	1 - 5	*
T-BUTYL PERBENZOATE	614-45-9	1 - 5	*
PHOTOINITIATOR	162881-26-7	0.1 - 1	*
MALEIC ACID	110-16-7	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable extinguishing media** No information available.

##### Specific hazards arising from the chemical

**Hazardous combustion products** Carbon oxides. Nitrogen oxides (NO<sub>x</sub>). Irritating organic vapors.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

##### Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Collect spillage. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep at temperatures between 46°F and 82°F (8°C and 28°C).

**Incompatible materials** Reducing agents. Strong oxidizers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID 79-10-7	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup> (vacated) S*	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Gel	<b>Odor</b>	Mild
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	Clear light yellow		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	Does not apply	
<b>Melting point / freezing point</b>	No information available	

<b>Boiling point / boiling range</b>	> 149 °C / 300 °F
<b>Flash point</b>	> 93.3 °C / 200 °F
<b>Evaporation rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Relative density</b>	No information available
<b>Water solubility</b>	No information available
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Incompatible materials.

**Incompatible materials**

Reducing agents. Strong oxidizers.

**Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	No data available.
<b>Skin contact</b>	No data available.
<b>Ingestion</b>	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg ( Rat )	> 3 g/kg ( Rabbit )	-
ISOBORNYL ACRYLATE 5888-33-5	= 4890 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-
ACRYLIC ACID 79-10-7	= 193 mg/kg ( Rat ) = 33500 µg/kg ( Rat )	= 280 µL/kg ( Rabbit ) = 295 mg/kg ( Rabbit )	= 11.1 mg/L ( Rat ) 1 h = 3.6 mg/L ( Rat ) 4 h
T-BUTYL PERBENZOATE 614-45-9	= 1012 mg/kg ( Rat )	-	-
MALEIC ACID 110-16-7	= 708 mg/kg ( Rat )	= 1560 mg/kg ( Rabbit )	> 720 mg/m <sup>3</sup> ( Rat ) 1 h
PHOTOINITIATOR 162881-26-7	> 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

### Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID 79-10-7	-	Group 3	-	-

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

<b>ATEmix (oral)</b>	2,992.50 mg/kg
<b>ATEmix (dermal)</b>	3,328.00 mg/kg mg/l
<b>ATEmix (inhalation-dust/mist)</b>	2.45 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYETHYL METHACRYLATE 868-77-9	-	213 - 242: 96 h Pimephales promelas mg/L LC50 flow-through 227: 96 h Pimephales promelas mg/L LC50	-
ACRYLIC ACID 79-10-7	0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	270: 24 h Daphnia magna mg/L LC50 Static 95: 48 h Daphnia magna mg/L EC50
MALEIC ACID 110-16-7	-	5: 96 h Pimephales promelas mg/L LC50 static	250 - 400: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

**Bioaccumulation**

Chemical Name	Partition coefficient
HYDROXYETHYL METHACRYLATE 868-77-9	0.47
ACRYLIC ACID 79-10-7	0.38 - 0.46
MALEIC ACID 110-16-7	-0.79 - 0.32

**Other adverse effects** No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID 79-10-7	-	-	-	U008

Chemical Name	California Hazardous Waste Status
T-BUTYL PERBENZOATE 614-45-9	Ignitable Reactive

### 14. TRANSPORT INFORMATION

**DOT**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isobornyl Acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** 8, 146, 173, 335, IB3, T4, TP1, TP29  
**Marine pollutant** Yes  
**Description** Note: Not regulated for ground transport

**IATA**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isobornyl Acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** A97, A158, A197  
**Description** Limited Quantities: 5L, 30 kg gross weight

**IMDG**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isobornyl Acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**EmS-No.** F-A, S-F  
**Special Provisions** 274, 335, 969  
**Marine pollutant** Yes  
**Description** Limited Quantities: 5L, 30 kg gross weight

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
MALEIC ACID 110-16-7	5000 lb	-	-	X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID 79-10-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
MALEIC ACID 110-16-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	X	X	X
T-BUTYL PERBENZOATE 614-45-9	X	X	X
MALEIC ACID 110-16-7	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

<b>16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION</b>
--

<b><u>NFPA</u></b>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<b><u>HMIS</u></b>	Health hazards -	Flammability -	Physical hazards -	Personal protection -

Prepared By	SDS coordinator
Issue Date	13-Feb-2019
Revision Date	13-Feb-2019
Revision Note	No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**