

SAFETY DATA SHEET

Issue Date 30-Jun-2015 Revision Date 08-Apr-2021 Version 1

1. IDENTIFICATION

Product identifier

Product Name Ammunition Sealant 76085

Other means of identification

Product Code MS-76085 UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Ammunition Sealant.

Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Dermal | Category 4 |
|--|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Emergency Overview

Danger

Hazard statements

Harmful in contact with skin

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Appearance No information available Physical state Liquid Odor Mild

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Call a POISON CENTER or doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-------------------------------|-------------|----------|--------------|
| DIPROPYLENE GLYCOL DIACRYLATE | 57472-68-1 | 60 - 100 | * |
| ACRYLIC ACID | 79-10-7 | 1 - 5 | * |
| PHOTOINITIATOR | 162881-26-7 | 1 - 5 | * |
| CUMENE HYDROPEROXIDE | 80-15-9 | 1 - 5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 7 and 29 °C.

Incompatible materialsStrong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases.

Peroxides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|------------|-------------------------------------|--------------------------|
| ACRYLIC ACID | TWA: 2 ppm | (vacated) TWA: 10 ppm | TWA: 2 ppm |
| 79-10-7 | S* | (vacated) TWA: 30 mg/m ³ | TWA: 6 mg/m ³ |
| | | (vacated) S* | _ |

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eve/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Wear protective nitrile rubber gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Mild

Color Black Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Does not apply

Melting point / freezing pointNo information availableBoiling point / boiling range> 94 °C / 201 °FFlash point> 94 °C / 201 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 1.0501 Water solubility Negligible

Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

Hazardous Decomposition Products

Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--|----------------------------------|-----------------------------------|
| DIPROPYLENE GLYCOL DIACRYLATE 57472-68-1 | = 4600 mg/kg (Rat) | > 2 g/kg (Rabbit) | - |
| ACRYLIC ACID | $= 193 \text{ mg/kg}$ (Rat) = 33500 μ g/kg | = 280 µL/kg (Rabbit) = 295 mg/kg | = 11.1 mg/L (Rat) 1 h = 3.6 mg/L |

| 79-10-7 | (Rat) | (Rabbit) | (Rat) 4 h |
|-------------------------------|---------------------|--------------------------|--------------------|
| PHOTOINITIATOR 162881-26-7 | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| CUMENE HYDROPEROXIDE | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat)4 h |
| 80-15-9 | | | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Germ cell mutagenicity** No information available.

Carcinogenicity

| Chemical Name | ACGIH | IARC | NTP | OSHA | |
|---------------|-------|---------|-----|------|--|
| ACRYLIC ACID | - | Group 3 | - | - | |
| 79-10-7 | | - | | | |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 3,458.00 mg/kg

 ATEmix (dermal)
 2,009.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------------|---|----------------------------------|--|
| ACRYLIC ACID | 0.17: 96 h Pseudokirchneriella | 222: 96 h Brachydanio rerio mg/L | 95: 48 h Daphnia magna mg/L |
| 79-10-7 | subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L | LC50 semi-static | EC50 270: 24 h Daphnia magna mg/L LC50 Static |
| | EC50 | | mg/L LC50 Static |
| CUMENE HYDROPEROXIDE | - | 3.9: 96 h Oncorhynchus mykiss | 7: 24 h Daphnia magna mg/L EC50 |
| 80-15-9 | | mg/L LC50 static | |

Persistence and degradability

No information available.

Bioaccumulation

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
| ACRYLIC ACID | 0.38 - 0.46 |
| 79-10-7 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|--------------------------|------------------------|------------------------|
| ACRYLIC ACID | - | = | = | U008 |
| 79-10-7 | | | | |
| CUMENE | = | - | - | U096 |
| HYDROPEROXIDE | | | | |
| 80-15-9 | | | | |

| Chemical Name | California Hazardous Waste Status |
|----------------------|-----------------------------------|
| CUMENE HYDROPEROXIDE | Toxic |
| 80-15-9 | Ignitable |

14. TRANSPORT INFORMATION

DOT

UN/ID no. Not applicable
Proper shipping name Not applicable
Hazard Class Not applicable
Packing Group Not applicable
Special Provisions Not applicable

IATA

UN/ID no.

Proper shipping name
Hazard Class
Packing Group
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

IMDG

UN/ID no.UN 2218Proper shipping nameNot applicableHazard ClassNot applicablePacking GroupNot applicableSpecial ProvisionsNot applicable

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| ACRYLIC ACID - 79-10-7 | 1.0 |
| CUMENE HYDROPEROXIDE - 80-15-9 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------|--------------------------|----------------|--------------------------|
| ACRYLIC ACID | 5000 lb | - | RQ 5000 lb final RQ |
| 79-10-7 | | | RQ 2270 kg final RQ |
| CUMENE HYDROPEROXIDE | 10 lb | - | RQ 10 lb final RQ |
| 80-15-9 | | | RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------|------------|---------------|--------------|
| ACRYLIC ACID | X | X | X |
| 79-10-7 | | | |
| CUMENE HYDROPEROXIDE | X | X | X |
| 80-15-9 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties
HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 30-Jun-2015 Revision Date 08-Apr-2021

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet