

SAFETY DATA SHEET

# Primer 50C

## SECTION 1: IDENTIFICATION

### 1.1. Product identifier

*Trade name:* Primer 50C

*Product no.:* MS-050C

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Industrial purposes  
Restricted to professional users.

*Uses advised against :* None known.

### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Hernon Manufacturing Inc**

121 Tech Drive

FL 32771 Sanford

USA

T: +1-407-322-4000

[www.hernon.com](http://www.hernon.com)

*Contact person:* Hernon SDS Coordinator

*E-mail:* [customerservice@hernon.com](mailto:customerservice@hernon.com)

*SDS date:* 1/22/2025

*SDS Version:* 1.0

### 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webpoisoncontrol ([triage.webpoisoncontrol.org](http://triage.webpoisoncontrol.org)) to get specific guidance for your case.

VelocityEHS:

+1-800-255-3924 (USA)

+1-813-248-0585 (International)

1-300-954-583 (Australia)

0-800-591-6042 (Brazil)

400-120-0751 (China)

000-800-100-4086 (India)

800-099-0731 (Mexico)

Contract #: (MIS0002665)

## SECTION 2: HAZARD(S) IDENTIFICATION

### OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

### 2.1. Classification of the substance or mixture

Flam. Liq. 4; H227, Combustible liquid  
Acute Tox. 4; H302, Harmful if swallowed.  
Acute Tox. 2; H310, Fatal in contact with skin.  
Skin Irrit. 2; H315, Causes skin irritation.  
Acute Tox. 1; H330, Fatal if inhaled.  
Repr. 2; H361, Suspected of damaging fertility or the unborn child.

## 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Danger

*Hazard statement(s):*

Combustible liquid (H227)  
Harmful if swallowed. (H302)  
Fatal in contact with skin or if inhaled. (H310+H330)  
Causes skin irritation. (H315)  
Suspected of damaging fertility or the unborn child. (H361)

*Precautionary statement(s):*

*General:*

-

*Prevention:*

Obtain special instructions before use. (P201)  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
Do not breathe vapour/mist. (P260)  
Do not get in eyes, on skin, or on clothing. (P262)  
Wash hands and exposed skin thoroughly after handling. (P264)  
Use only outdoors or in a well-ventilated area. (P271)  
Wear eye protection/protective clothing. (P280)  
[In case of inadequate ventilation] wear respiratory protection. (P284)

*Response:*

IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340)  
IF exposed or concerned: Get medical advice/attention. (P308+P313)  
Immediately call a POISON CENTER/doctor. (P310)  
Specific treatment is urgent (see instructions on this label). (P320)  
Take off immediately all contaminated clothing and wash it before reuse. (P361+P364)  
In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)

*Storage:*

Store in a well-ventilated place. Keep container tightly closed. (P403+P233)  
Store locked up. (P405)

*Disposal:*

Dispose of contents/container in accordance with local regulation (P501)

*Additional labelling:*

Not applicable.

## 2.3. Other hazards

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Tributylamine	CAS No.: 102-82-9	30-80%	Flam. Liq. 4, H227 Acute Tox. 4, H302 Acute Tox. 2, H310 Skin Irrit. 2, H315 Acute Tox. 1, H330	
2-ethylhexanoic acid	CAS No.: 149-57-5	10-40%	Repr. 2, H361	
copper(II) carbonate-- copper(II) hydroxide (1:1)	CAS No.: 12069-69-1	5-20%	Acute Tox. 4, H302 Eye Irrit. 2, H319 Acute Tox. 4, H332	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

## SECTION 4: FIRST-AID MEASURES

### 4.1. Description of first aid measures

#### General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and

	soap. Skin cleanser can be used. DO NOT use solvents or thinners.
	If skin irritation occurs: Get medical advice/attention.
<i>Eye contact:</i>	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
<i>Ingestion:</i>	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
<i>Burns:</i>	Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:  
Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Combustible liquid  
In use may form flammable/explosive vapour-air mixture.  
Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.  
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides (CO / CO<sub>2</sub>)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.  
Ensure adequate ventilation, especially in confined areas.  
Avoid inhalation of vapours from spilled material.  
Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.  
Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. A sign warning of toxic materials shall be affixed the room and cupboard containing the product(s).

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Always store in containers of the same material as the original container.

*Liquid class:*

Combustible Liquid / Class IIIA (NFPA 30)

*Storage conditions:*

Keep at temperatures between 7 and 29 °C.

Dry, cool and well ventilated

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

*Incompatible materials:*

Strong oxidizing agents

Peroxides

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

### 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*


There are no exposure scenarios implemented for this

Exposure limits:	product.
Appropriate technical measures:	Occupational exposure limits have not been defined for the substances in this product.
Hygiene measures:	Apply standard precautions during use of the product. Avoid inhalation of vapours.
Measures to avoid environmental exposure:	Take off contaminated clothing and wash it before reuse. Keep damming materials near the workplace. If possible, collect spillage during work.

**Individual protection measures, such as personal protective equipment**


Generally:	Use only protective equipment with a recognized certification mark, e.g. the UL mark.
Respiratory Equipment:	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

*Skin protection:*

Recommended	Type/Category	Standards	
-	Protective Clothing		

*Hand protection:*  
Nitrile Rubber

*Eye protection:*

Type	Standards	
Safety glasses with side shields.	EN166	

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Color:	Green
Odor:	Unpleasant
Odor threshold (ppm):	No data available
pH:	No relevant or available data due to the nature of the product.
Density (g/cm³):	0.778
Kinematic viscosity:	No relevant or available data due to the nature of the product.
Particle characteristics:	Does not apply to liquids.

**Phase changes**

<i>Melting point/freezing point (°F):</i>	No relevant or available data due to the nature of the product.
<i>Softening point/range (°F):</i>	Does not apply to liquids.
<i>Boiling point (°F):</i>	421
<i>Boiling point (°C):</i>	216
<i>Vapor pressure:</i>	No relevant or available data due to the nature of the product.
<i>Relative vapor density:</i>	6.4
<i>Decomposition temperature (°F):</i>	No relevant or available data due to the nature of the product.

### Data on fire and explosion hazards

<i>Flash point (°F):</i>	145
<i>Flash point (°C):</i>	63
<i>Flammability (°F):</i>	No relevant or available data due to the nature of the product.
<i>Auto-ignition temperature (°F):</i>	410
<i>Auto-ignition temperature (°C):</i>	210
<i>Explosion limits (% v/v):</i>	No relevant or available data due to the nature of the product.

### Solubility

<i>Solubility in water:</i>	Very slightly soluble
<i>n-octanol/water coefficient (LogKow):</i>	No relevant or available data due to the nature of the product.
<i>Solubility in fat (g/L):</i>	No relevant or available data due to the nature of the product.

### 9.2. Other information

<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	No relevant or available data due to the nature of the product.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies

None known.

### 10.4. Conditions to avoid

Incompatible Materials  
Exposure to air

Flames, sparks and other sources of ignition  
Extremes of temperature  
Moisture  
Sunlight

#### 10.5. Incompatible materials

Strong oxidizing agents  
Peroxides

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

Harmful if swallowed.  
Fatal in contact with skin.  
Fatal if inhaled.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Suspected of damaging fertility or the unborn child.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Other information

None known.




SECTION 12: ECOLOGICAL INFORMATION



- 12.1. Toxicity  
No data available.
- 12.2. Persistence and degradability  
Based on available data, the classification criteria are not met.
- 12.3. Bioaccumulative potential  
Based on available data, the classification criteria are not met.
- 12.4. Mobility in soil  
No data available.
- 12.5. Results of PBT and vPvB assessment  
This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- 12.6. Other adverse effects  
None known.

SECTION 13: DISPOSAL CONSIDERATIONS

- RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)  
None of the components are listed
- Specific labelling
- Contaminated packing  
Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
DOT	UN2542	TRIBUTYLAMINE	Transport hazard class: 6.1 Label: 6.1 Classification code: T1 	II	No	Limited quantities: 100 ml Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN2542	TRIBUTYLAMINE	Transport hazard class: 6.1	II	No	Limited

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
			Label: 6.1 Classification code: T1 			quantitie s: 100 ml EmS: F-A S-A See below for additiona l informati on.
IATA	UN2542	TRIBUTYLAMINE	Transport hazard class: 6.1 Label: 6.1 Classification code: T1 	II	No	See below for additiona l informati on.

\* Packing group  
\*\* Environmental hazards

**Additional information**

This product is within scope of the regulations of transport of dangerous goods.  
DOT / See § 172.101 Hazardous Materials Table for any information on special provisions, requirements, or warnings in connection with transport. See § 172.602, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.  
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.  
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

- 14.6.

**Special precautions for user**  
Not applicable.
- 14.7.

**Transport in bulk according to IMO instruments**  
No data available.

**SECTION 15: REGULATORY INFORMATION**

- 15.1.

**Safety, health and environmental regulations/legislation specific for the substance or mixture**
- 15.2.

**U.S. Federal regulations**

*TSCA (the non-confidential portion):*

Tributylamine is listed  
2-ethylhexanoic acid is listed  
copper(II) carbonate--copper(II) hydroxide (1:1) is listed

*Clean Air Act:*

None of the components are listed

*EPCRA Section 302:*

None of the components are listed

<i>EPCRA Section 304:</i>	None of the components are listed
<i>EPCRA section 313:</i>	None of the components are listed
<i>CERCLA:</i>	None of the components are listed
<i>Hazardous chemical inventory reporting:</i>	This product is subject to Tier II reporting.

## State regulations

<i>California / Prop. 65:</i>	None of the components are listed
<i>Massachusetts / Right To Know Act:</i>	Tributylamine is listed
<i>New Jersey / Right To Know Act:</i>	Tributylamine / Substance number: 1879 Tributylamine is on the Special Health Hazard Substance List — 2-ethylhexanoic acid / Substance number: 4068 —
<i>New York / Right To Know Act:</i>	Tributylamine is listed Tributylamine is regulated with a Treshold Reporting Quantity (TRQ) of: 100 pounds —
<i>Pennsylvania / Right To Know Act:</i>	Tributylamine is listed —

## 15.4. Restrictions for application

Restricted to professional users.  
Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

## 15.5. Demands for specific education

No specific requirements.

## 15.6. Additional information

Not applicable.

## 15.7. Chemical safety assessment

No

## 15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

H227, Combustible liquid  
H302, Harmful if swallowed.  
H310, Fatal in contact with skin.  
H315, Causes skin irritation.  
H319, Causes serious eye irritation.  
H330, Fatal if inhaled.  
H332, Harmful if inhaled.  
H361, Suspected of damaging fertility or the unborn child.

### The full text of identified uses as mentioned in section 1

None known.

### **Abbreviations and acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

### **The safety data sheet is validated by**

SDS Coordinator

### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in

section 1) and is not necessarily correct for use with other chemicals/products.  
It is recommended to hand over this safety data sheet to the actual user of the product.  
Information in this safety data sheet cannot be used as a product specification.  
Country-language: US-en