

# SAFETY DATA SHEET

Issue Date 22-Jun-2015 Revision Date 11-Feb-2021 Version 1

## 1. IDENTIFICATION

Product identifier

Product Name Primer 57

Other means of identification

Product Code MS-057 UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Primers.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

### 2. HAZARDS IDENTIFICATION

## Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Flammable liquids	Category 4

### Label elements

### **Emergency Overview**

### Danger

## Hazard statements

Harmful if swallowed
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child
Combustible liquid



Appearance No information available Physical state Liquid Odor Slightly acrylic

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

### **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

May be harmful in contact with skin Harmful to aquatic life with long lasting effects Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Hydroxypropyl Methacrylate	27813-02-1	60 - 100	*
METHACRYLIC ACID	79-41-4	1 - 5	*
2-ETHYLHEXANOIC ACID	149-57-5	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media None.

### Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon oxides. Irritating organic vapors.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

Wear self contained breathing apparatus for fire fighting if necessary. Use personal protective equipment as required.

## **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

confined areas.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep at temperatures between 7 and 29 °C.

**Incompatible materials** Strong oxidizers. Reducing agents. Amines. Peroxides. Free radical initiators.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
METHACRYLIC ACID	TWA: 20 ppm	(vacated) TWA: 20 ppm	TWA: 20 ppm
79-41-4		(vacated) TWA: 70 mg/m <sup>3</sup>	TWA: 70 mg/m <sup>3</sup>
		(vacated) S*	_
2-ETHYLHEXANOIC ACID	TWA: 5 mg/m <sup>3</sup> inhalable fraction	-	-
149-57-5	and vapor		

#### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Slightly acrylic

Color Light blue Odor threshold No information available

Property Values Remarks • Method

Does not apply

Melting point / freezing pointNo information availableBoiling point / boiling rangeNo information available> 149 °C / 300 °F

Flash point > 93 °C / 200 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information available

Vapor density >=1 Relative density 1.03

Water solubility Slightly soluble

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

### **Other Information**

Softening point
Molecular weight
VOC Content (%)
Density
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

No information available.

## Incompatible materials

Strong oxidizers. Reducing agents. Amines. Peroxides. Free radical initiators.

### **Hazardous Decomposition Products**

Carbon oxides. Irritating organic vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydroxypropyl Methacrylate 27813-02-1	= 11200 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
METHACRYLIC ACID	= 1060 mg/kg (Rat)	500 - 1000 mg/kg (Rabbit) = 500	= 7.1 mg/L (Rat) 4 h
79-41-4		mg/kg (Rabbit)	
2-ETHYLHEXANOIC ACID 149-57-5	= 1600 mg/kg (Rat)	= 1140 mg/kg (Rabbit)	-

### Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 512.00 mg/kg

 ATEmix (dermal)
 2,825.00 mg/kg

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydroxypropyl Methacrylate	-	493: 48 h Leuciscus idus melanotus	-
27813-02-1		mg/L LC50 static	
	61: 72 h Desmodesmus subspicatus mg/L EC50 41: 96 h Desmodesmus subspicatus mg/L EC50	70: 96 h Pimephales promelas mg/L LC50	85.4: 48 h Daphnia magna mg/L EC50
BUTYL HYDROXY TOLUENE 128-37-0	0.42: 72 h Desmodesmus subspicatus mg/L EC50 6: 72 h Pseudokirchneriella subcapitata mg/L EC50	5: 48 h Oryzias latipes mg/L LC50	-

## Persistence and degradability

No information available.

### **Bioaccumulation**

Chemical Name	Partition coefficient
METHACRYLIC ACID 79-41-4	0.93
2-ETHYLHEXANOIC ACID 149-57-5	2.7

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

UN/ID no. None

Proper shipping name Not regulated Hazard Class None Packing Group None Special Provisions None

IATA Not regulated

UN/ID no. None

Proper shipping name Not regulated Hazard Class None

Packing Group None
Special Provisions None

IMDG Not regulated

UN/ID no. None

Proper shipping name Not regulated Hazard Class None Packing Group None Special Provisions None

## 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
METHACRYLIC ACID	X	X	X
79-41-4			
2-ETHYLHEXANOIC ACID	X	-	-
149-57-5			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

<u>HMIS</u> Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 22-Jun-2015 Revision Date 11-Feb-2021

Revision Note No information available

## <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**