

#### SAFETY DATA SHEET

# **Tuffbond 317A**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

*Trade name:* Tuffbond 317A

Product no.: MS-317A

Unique formula identifier (UFI): M000-A0PG-V00R-2UG5

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the Adhesive

substance or mixture: Restricted to professional users.

Uses advised against: None known.

# 1.3. Details of the supplier of the safety data sheet

Company and address: Hernon Manufacturing Inc

121 Tech Drive FL 32771 Sanford

USA

T: +1-407-322-4000 www.hernon.com

Contact person: Hernon SDS Coordinator

E-mail: customerservice@hernon.com

*Revision:* 14/04/2025

SDS Version: 1.0

## 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webpoisoncontrol (triage.webpoisoncontrol.org) to get specific guidance for your case.

VelocityEHS:

+1-800-255-3924 (USA)

+1-813-248-0585 (International)

1-300-954-583 (Australia)

0-800-591-6042 (Brazil)

400-120-0751 (China)

000-800-100-4086 (India)

800-099-0731 (Mexico)

Contract #: (MIS0002665)

## **SECTION 2: HAZARDS IDENTIFICATION**

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# 2.1. Classification of the substance or mixture



Skin Irrit. 2; H315, Causes skin irritation.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

Carc. 1B; H350, May cause cancer.

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Hazard pictogram(s):

**ERNON®** 

Formulating Solutions

(!) (\*) (\*)

Signal word: Danger

Hazard statement(s): Causes skin irritation. (H315)

May cause an allergic skin reaction. (H317) Causes serious eye irritation. (H319)

May cause cancer. (H350)

Toxic to aquatic life with long lasting effects. (H411)

Precautionary statement(s):

General: -

Prevention: Obtain special instructions before use. (P201)

Avoid breathing mist/vapour. (P261)

Wear eye protection/protective clothing. (P280)

Response: IF exposed or concerned: Get medical advice/attention.

(P308+P313)

If skin irritation or rash occurs: Get medical

advice/attention. (P333+P313)

Storage: -

Dispose of contents/container in accordance with local

regulation (P501)

Hazardous substances: Bisphenol-A-(epichlorohydrin)
Additional labelling: Restricted to professional users.

UFI: M000-A0PG-V00R-2UG5

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances

known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria

set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
-------------------	-------------	-------	----------------	------



Bisphenol-A-	CAS No.: 25068-38-6	60-100%	Skin Irrit. 2, H315 (SCL: 5.00 %)	
(epichlorohydrin)	EC No.: 500-033-5		Skin Sens. 1, H317	
	UK-REACH:		Eye Irrit. 2, H319 (SCL: 5.00 %)	
	Index No.: 603-074-00-8		Aquatic Chronic 2, H411	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

-

#### **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty

department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

*Inhalation:* Upon breathing difficulties or irritation of the respiratory

tract: Bring the person into fresh air and stay with him/her.

Skin contact: Remove contaminated clothing and shoes immediately.

Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: If in eyes: Flush eyes immediately with plenty of water or

isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing

during transport.

*Ingestion:* If the person is conscious, rinse the mouth with water and

stay with the person. Never give the person anything to

drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid

inhalation of or choking on vomited material.

Burns: Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed



IF exposed or concerned:

Get immediate medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: ●3Z

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.



See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. A sign warning of toxic materials shall be affixed the room and cupboard containing the product(s).

Containers that have been opened must be carefully resealed and kept upright to prevent

leakage.

Recommended storage material: Always store in containers of the same material as the

original container.

Storage conditions: Keep at temperatures between 7 and 29 °C.

Dry, cool and well ventilated

Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources.

*Incompatible materials:* Acids

Bases Amines

Strong oxidizing agents

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

**DNEL** 

No data available.

**PNEC** 

No data available.

# 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed

in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this

product.

Exposure limits: Occupational exposure limits have not been defined for

the substances in this product.

Appropriate technical measures: Do not recirculate outlet air that contain the substances.

Apply standard precautions during use of the product.

Avoid inhalation of vapours.

Hygiene measures: Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental Keep damming materials near the workplace. If possible,

exposure: collect spillage during work.

# Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory



protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Skin protection:

Recommended	Type/Category	Standards	
-	Protective Clothing		R

Hand protection: Nitrile Rubber

Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Clear, Clear

Odour / Odour threshold: Mild

pH: No data available

Density  $(g/cm^3)$ : 1.17

Kinematic viscosity: No data available Particle characteristics: No data available

Phase changes

*Melting point/Freezing point (°C):* No data available

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): >260

Vapour pressure:0.03 hPa (77 °C)Relative vapour density:No data availableDecomposition temperature (°C):No data available

Data on fire and explosion hazards

Flash point (°C): >252

Flammability (°C):

Auto-ignition temperature (°C):

Lower and upper explosion limit (%

No data available

No data available

v/v):

Solubility

Solubility in water: Slightly soluble



*n-octanol/water coefficient (LogKow):* No data available *Solubility in fat (q/L):* No data available

9.2. Other information

Evaporation rate (n-butylacetate =

100):

No data available

Oxidizing properties: No data available
Other physical and chemical No data available.

parameters:

#### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

# 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

**Incompatible Materials** 

Extremes of temperature

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

# 10.5. Incompatible materials

Acids

**Bases** 

**Amines** 

Strong oxidizing agents

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/irritation

Causes serious eye irritation.

## **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

May cause an allergic skin reaction.



## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

May cause cancer.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

## 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

## 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.



This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

HP 7 – Carcinogenic

HP 13 - Sensitising

HP 14 - Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## **EWC** code

Not applicable.

# Specific labelling

# **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
ADR	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A-(epichlorohydrin))	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	Limited quantitie s: 5 L Tunnel restrictio n code: (-) See below for additiona I informati on.
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A-(epichlorohydrin))	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	Limited quantitie s: 5 L EmS: F-A S-F See below for additiona



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
						l informati on.
IATA	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A-(epichlorohydrin))	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	See below for additiona I informati on.

<sup>\*</sup> Packing group

## **Additional information**

This product is within scope of the regulations of transport of dangerous goods.

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

--

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

Hazchem Code: ●3Z

# 14.6. Special precautions for user

Not applicable.

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

People under the age of 18 shall not be exposed to this

product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical

<sup>\*\*</sup> Environmental hazards





precautions or design of the workplace needed to

eliminate exposure, must be considered.

Demands for specific education:

No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

substances:

Sources:

Not applicable.

Additional information:

The Management of Health and Safety at Work

Regulations 1999.

The Health and Safety at Work etc. Act 1974 Regulations

2013.

Control of Major Accident Hazards (COMAH) Regulations

2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on

waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as

retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals

(REACH) as retained and amended in UK law.

# 15.2. Chemical safety assessment

No

## **SECTION 16: OTHER INFORMATION**

## Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

## Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System





EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## The safety data sheet is validated by

SDS Coordinator

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en