

SAFETY DATA SHEET

Issue Date 30-Jun-2015 Revision Date 03-Aug-2022 Version 1

1. IDENTIFICATION

Product identifier

Product Name Dripstop 943

Other means of identification

Product Code MS-943
UN/ID no. UN 3082
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Anaerobic Adhesive.

Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation Causes serious eye irritation May damage fertility or the unborn child



Appearance No information available Physical state Liquid Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
POLYETHYLENE GLYCOL DIMETHACRYLATE	25852-47-5	30 - 60	*
DIBUTYL PHTHALATE	84-74-2	30 - 60	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

MS-943 - Dripstop 943 Revision Date 03-Aug-2022

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials Strong reducing agents. Strong oxidizing agents. Free radical initiators. Inert gases.

Oxygen scavenger. Peroxides.

MS-943 - Dripstop 943 Revision Date 03-Aug-2022

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DIBUTYL PHTHALATE	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 4000 mg/m ³
84-74-2	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Mild

Color Brown Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing pointNo information availableBoiling point / boiling range> 149 °C / 300 °FFlash point> 93.3 °C / 200 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No information available
No information available
No information available

Relative density 1.07

Water solubility Slightly soluble

Solubility in other solvents No information available **Partition coefficient** No information available Autoignition temperature No information available **Decomposition temperature** No information available No information available Kinematic viscosity Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
Bulk density
No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong reducing agents. Strong oxidizing agents. Free radical initiators. Inert gases. Oxygen scavenger. Peroxides.

Hazardous Decomposition Products

Carbon oxides. Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIBUTYL PHTHALATE	= 7499 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	>= 15.68 mg/L (Rat) 4 h
84-74-2			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 7,802.40 mg/kg

ATEmix (dermal) 20,829.90 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIBUTYL PHTHALATE	0.4: 96 h Pseudokirchneriella	0.31 - 5.45: 96 h Pimephales	2.99: 48 h Daphnia magna mg/L
84-74-2	subcapitata mg/L EC50 static	promelas mg/L LC50 static	EC50 Static
	1.2: 72 h Desmodesmus	0.42 - 1.28: 96 h Lepomis	3.4: 48 h Daphnia magna mg/L
	subspicatus mg/L EC50	macrochirus mg/L LC50 static	EC50
		0.71 - 1.2: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		1.24 - 5.3: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		1.38 - 1.74: 96 h Lepomis	
		macrochirus mg/L LC50	
		flow-through	
		1.24: 96 h Oncorhynchus mykiss	
		ma/L LC50 flow-through	

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
DIBUTYL PHTHALATE	5.38
84-74-2	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIBUTYL PHTHALATE	U069	Included in waste stream:	-	U069
84-74-2		F039		

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)

Hazard Class 9
Packing Group III

Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

Marine pollutant Yes

Description Note: Not regulated for ground transport

IATA

UN/ID no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)

Hazard Class 9
Packing Group III

Revision Date 03-Aug-2022

Special Provisions A97, A158, A197

Description Limited Quantities: 5L, 30 kg gross weight

IMDG

UN/ID no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)

Hazard Class Packing Group Ш F-A, S-F EmS-No. **Special Provisions** 274, 335, 969

Marine pollutant

Description Limited Quantities: 5 L, 30 kg gross weight

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC** Complies KECL Complies **PICCS** Complies **AICS**

All ingredients are on the inventory or are exempt from listing.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIBUTYL PHTHALATE - 84-74-2	1.0

SARA 311/312 Hazard Categories

Acute health hazard **Chronic Health Hazard** Fire hazard Sudden release of pressure hazard **Reactive Hazard**

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
DIBUTYL PHTHALATE	10 lb	X	X	X

84-74-2		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIBUTYL PHTHALATE	10 lb	-	RQ 10 lb final RQ
84-74-2			RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
DIBUTYL PHTHALATE - 84-74-2	Developmental
	Female Reproductive
	Male Reproductive
METHANOL - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIBUTYL PHTHALATE	X	X	X
84-74-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 30-Jun-2015 Revision Date 03-Aug-2022

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet