

# SAFETY DATA SHEET

Issue Date 30-Jun-2015

Revision Date 05-Apr-2021

Version 1

## **1. IDENTIFICATION**

Product identifier Product Name

Ammunition Sealant 76082

Other means of identificationProduct CodeMS-76082UN/ID no.NoneSynonymsNone

Recommended use of the chemical and restrictions on useRecommended UseAmmunition Sealant.Uses advised againstNone known

## Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

### Emergency telephone number Company Phone Number

Emergency Telephone

407-322-4000 Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

**Classification** 

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

## Label elements

### **Emergency Overview**

## Danger

Hazard statements Harmful in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



## **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor Call a POISON CENTER or doctor if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

May be harmful if swallowed Very toxic to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
DIPROPYLENE GLYCOL DIACRYLATE	57472-68-1	60 - 100	*
ACRYLIC ACID	79-10-7	1 - 5	*
PHOTOINITIATOR	162881-26-7	1 - 5	*
CUMENE HYDROPEROXIDE	80-15-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.
Skin contact	Consult a physician. Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

- Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
- IngestionDo NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a<br/>POISON CENTER or doctor/physician if you feel unwell.

### Most important symptoms and effects, both acute and delayed

Symptoms No information available.

### Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media No information available.

## Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep at temperatures between 7 and 29 °C.
Incompatible materials	Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
		(vacated) S*	

### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventiletien eurotene

Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Wear protective nitrile rubber gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Color

Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)

Flammability Limit in Air

Liquid No information available Green

ValuesDoes not applyNo information available> 94 °C / 201 °F> 94 °C / 201 °FNo information availableNo information available

Odor Odor threshold Mild No information available

### Remarks • Method

Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available No information available 1.0509 Negligible No information available No information available	
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available	

## **10. STABILITY AND REACTIVITY**

## Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## Conditions to avoid

Incompatible materials.

### Incompatible materials

Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

### Hazardous Decomposition Products

Irritating organic vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

### **Product Information**

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIPROPYLENE GLYCOL DIACRYLATE 57472-68-1	= 4600 mg/kg (Rat)	>2 g/kg (Rabbit)	-
ACRYLIC ACID	= 193 mg/kg (Rat) = 33500 µg/kg	= 280 μL/kg (Rabbit)= 295 mg/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L

79-10-7	(Rat)	(Rat) (Rabbit)		( Rat ) 4 h	
PHOTOINITIATOR 162881-26-7	> 2000 mg/kg (F	Rat) > 2000	mg/kg (Rat)	-	,
CUMENE HYDROPEROXIDE 80-15-9	= 382 mg/kg (R	at ) = 0.126 n	nL/kg (Rabbit)	= 220 ppm	( Rat ) 4 h
Information on toxicological	effects				
Symptoms	No information available.				
Delayed and immediate effe	cts as well as chronic e	fects from short and l	ong-term exposure	<u>e</u>	
Sensitization	No information a	available.			
Germ cell mutagenicity	No information available.				
Carcinogenicity					
Chemical Name	ACGIH	IARC	NTP		OSHA
ACRYLIC ACID	-	Group 3	_		-

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

### Numerical measures of toxicity - Product Information

### The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	3,477.00	mg/kg
ATEmix (dermal)	2,020.00	mg/kg

## **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Very toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACRYLIC ACID	0.17: 96 h Pseudokirchneriella	222: 96 h Brachydanio rerio mg/L	95: 48 h Daphnia magna mg/L
79-10-7	subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	LC50 semi-static	EC50 270: 24 h Daphnia magna mg/L LC50 Static
CUMENE HYDROPEROXIDE	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	

## Persistence and degradability

No information available.

### **Bioaccumulation**

Chemical Name	Partition coefficient
ACRYLIC ACID	0.38 - 0.46
79-10-7	

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** 

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	<b>RCRA - D Series Wastes</b>	<b>RCRA - U Series Wastes</b>
ACRYLIC ACID	-	-	-	U008
79-10-7				
CUMENE	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

Chemical Name	California Hazardous Waste Status
CUMENE HYDROPEROXIDE	Toxic
80-15-9	Ignitable

### **14. TRANSPORT INFORMATION**

DOT	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IATA	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IMDG	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None

## **15. REGULATORY INFORMATION**

#### International Inventories TSCA Complies Complies DSL/NDSL **EINECS/ELINCS** Complies Complies ENCS IECSC Complies Complies KECL PICCS Complies AICS Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
CUMENE HYDROPEROXIDE - 80-15-9	1.0

### SARA 311/312 Hazard Categories

Acute health hazard	-
Chronic Health Hazard	-
Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE	10 lb	-	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ

## US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID	Х	X	Х
79-10-7			
CUMENE HYDROPEROXIDE	Х	X	X
80-15-9			

### U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
HMIS	Health hazards -	Flammability -	Physical hazards -	Personal protection -
Prepared By	SDS coord	inator		

Issue Date	30-Jun-2015
Revision Date	05-Apr-2021
Revision Note	No information available

## **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**