

Equipment Flushing Cleaner 10

Product Description

Hernon® Equipment Flushing Cleaner 10 is a specially formulated Cleaner that can be used to dissolve ammunition sealants from various surfaces.

Equipment Flushing Cleaner 10 is compatible with most plastics, elastomers and metals. Can be used with ultrasonic cleaners, is non-flammable, has a low toxicity and zero ozone depletion potential.

Equipment Flushing Cleaner 10 can be flushed through parts or can be used to soak parts for degreasing. Some plastics ABS, acrylics or polycarbonates may show signs of softening. Prior to use, test plastics under normal operating conditions to check for compatibility.

Typical Properties

Property	Value
Appearance	Clear liquid
Viscosity @ 25°C, cP	1 to 10
Specific gravity	1.07
Flash point	See SDS

General Information

This product can be used after re-conditioning. If recycling is not practical, dispose of in compliance with local regulations. Contact with basic materials, pH 10 and above is not recommended. The product should not be allowed to enter drains, water courses or the soil.

For safe handling information on this product, consult the Safety Data Sheet (SDS).

Use and Application

See Application note for proper usage.

Storage

Product should be stored in a cool, dry location in unopened containers at a temperature between 40°F to 85°F unless otherwise labeled. Do not allow stored product to exceed 125°F to prevent leakage or potential rupture of container from pressure and expansion. To prevent contamination of unused material, do not return any material to its original container.

Dispensing Equipment

Hernon® offers a complete line of semi and fully automated dispensing equipment. Contact **Hernon® Sales** for additional information.

These suggestions and data are based on information we believe to be reliable and accurate, but no guarantee of their accuracy is made. HERNON MANUFACTURING®, INC. shall not be liable for any damage, loss or injury, direct or consequential arising out of the use or the inability to use the product. In every case, we urge and recommend that purchasers, before using any product in full scale production, make their own tests to determine whether the product is of satisfactory quality and suitability for their operations, and the user assumes all risk and liability whatsoever, in connection therewith. Hernon's Quality Management System for the design and manufacture of high-performance adhesives and sealants is registered to the ISO 9001 Quality Standard.