

# SAFETY DATA SHEET

Issue Date 20-Nov-2015

Revision Date 05-Aug-2022

Version 1

1. IDENTIFICATION		
Product identifier Product Name	Accelerator 52	
Other means of identification		
Product Code	MS-052	
UN/ID no.	UN 1090	
Synonyms	None	
Recommended use of the chemic Recommended Use Uses advised against	al and restrictions on use Accelerator. None known	
Details of the supplier of the safe Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004	<u>ty data sheet</u>	
Emergency telephone number Company Phone Number	407-322-4000	

2. HAZARDS IDENTIFICATION

**Classification** 

#### **OSHA Regulatory Status**

**Emergency Telephone** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Chemtel 800-255-3924

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2


#### Label elements

**Emergency Overview** 

# Danger

### Hazard statements

Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer May cause respiratory irritation May cause drowsiness or dizziness Highly flammable liquid and vapor



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ventilating / lighting / equipment Keep cool

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

May be harmful if inhaled Toxic to aquatic life with long lasting effects.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
ACETONE	67-64-1	60 - 100	*
N,N-DIMETHYL-P-TOLUIDINE	99-97-8	0.1 - 1	*
HYDROQUINONE	123-31-9	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.		
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use CO2, dry chemical, or foam.

#### Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

No information available.

Hazardous combustion productsCarbon oxides. Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Do not allow into any sewer, on the ground or into any body of water. See section 12 for additional ecological information.

Methods and material for contain	nment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Remove all sources of ignition. Soak up with inert absorbent material. Store in a closed container until ready for disposal.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).		
Incompatible materials	Oxidizers. Acids.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			

## Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONE	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	-
		(vacated) STEL: 2400 mg/m <sup>3</sup>	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors.	
		(vacated) STEL: 1000 ppm	
HYDROQUINONE	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>
123-31-9		(vacated) TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup> 15 min

Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

- **Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- **General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color

#### Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing properties**

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density Liquid No information available Clear

#### Values Does not apply No information available 57 °C / 134.6 °F -17 °C / 1.4 °F

No information available

No information available 12.8% 2.8% 185 mmHg @20°C >= 2 0.79 Soluble in water No information available No information available

No information available No information available No information available No information available No information available

No information available

**10. STABILITY AND REACTIVITY** 

#### Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### Incompatible materials

Oxidizers. Acids.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Odor Odor threshold

Acetone No information available

### Remarks • Method

#### Product Information

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m <sup>3</sup> (Rat) 8 h
67-64-1			
N,N-DIMETHYL-P-TOLUIDINE	= 1650 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 1400 mg/m <sup>3</sup> (Rat) 4 h
99-97-8			
HYDROQUINONE	= 298 mg/kg (Rat)	= 74800 mg/kg (Rabbit)	-
123-31-9			

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informati	No information available.			
Germ cell mutagenicity	No informati	No information available.			
Carcinogenicity					
Chemical Name	ACGIH	IARC	NTP	OSHA	
N,N-DIMETHYL-P-TOLUIDI	-	Group 2B	-	Х	
NE					
99-97-8					
HYDROQUINONE	A3	Group 3	-	-	
123-31-9					
Reproductive toxicity	No informati	on available.			
STOT - single exposure	No informati	No information available.			
STOT - repeated exposure	No informati	on available.			
Aspiration hazard		on available.			

## Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,846.80 mg/kg
ATEmix (dermal)	15,842.40 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACETONE	-	4.74 - 6.33: 96 h Oncorhynchus	10294 - 17704: 48 h Daphnia
67-64-1		mykiss mL/L LC50	magna mg/L EC50 Static
		6210 - 8120: 96 h Pimephales	12600 - 12700: 48 h Daphnia
		promelas mg/L LC50 static	magna mg/L EC50
		8300: 96 h Lepomis macrochirus	
		mg/L LC50	
N,N-DIMETHYL-P-TOLUIDINE	-	42 - 50.5: 96 h Pimephales	-
99-97-8		promelas mg/L LC50 flow-through	
HYDROQUINONE	0.335: 72 h Pseudokirchneriella	0.1 - 0.18: 96 h Pimephales	0.29: 48 h Daphnia magna mg/L
123-31-9	subcapitata mg/L EC50	promelas mg/L LC50 static	EC50
		0.044: 96 h Oncorhynchus mykiss	
		mg/L LC50 flow-through	
		0.044: 96 h Pimephales promelas	
		mg/L LC50 flow-through	
		0.17: 96 h Brachydanio rerio mg/L	
		LC50	

## Persistence and degradability

No information available.

## **Bioaccumulation**

Chemical Name	Partition coefficient
ACETONE	-0.24
67-64-1	
N,N-DIMETHYL-P-TOLUIDINE	2.81
99-97-8	
HYDROQUINONE	0.5
123-31-9	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and
	regulations.

Contaminated packaging Do not reuse container.

D001

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETONE	-	Included in waste stream:	-	U002
67-64-1		F039		
HYDROQUINONE	-	Included in waste stream:	-	-
123-31-9		K060		

Chemical Name	California Hazardous Waste Status	
ACETONE	Ignitable	
67-64-1	-	

# 14. TRANSPORT INFORMATION

DOT	
UN/ID no.	UN 1090
Proper shipping name	Acetone
Hazard Class	3
Packing Group	II
Reportable Quantity (RQ)	Acetone is reportable at 5000 pounds (2270 kg).
Special Provisions	Consumer Commodity ORM-D (Not more than 1 Liter)
<u>IATA</u> UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions	UN 1090 Acetone 3 II May Qualify as Consumer Commodity ID8000 (Not more than 500ml)
IMDG UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions	UN 1090 Acetone 3 II Limited quantity (Not more than 1 L)

## **15. REGULATORY INFORMATION**

## International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
HYDROQUINONE - 123-31-9	1.0	

#### SARA 311/312 Hazard Categories

Acute health hazard	-
Chronic Health Hazard	-
Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETONE	5000 lb	-	RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ
HYDROQUINONE	100 lb	100 lb	RQ 100 lb final RQ
123-31-9			RQ 45.4 kg final RQ

## US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
N,N-DIMETHYL-P-TOLUIDINE - 99-97-8	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE 67-64-1	Х	X	Х
HYDROQUINONE 123-31-9	Х	X	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards -	Flammability -	Physical hazards -	Personal protection -
Prepared By Issue Date	SDS coordinator 20-Nov-2015			
Revision Date Revision Note	05-Aug-2022 No information available			

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**