

Issue Date 15-Sep-2017

Revision Date 11-Oct-2017

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Primer 50

### Other means of identification

**Product Code** MS-050  
**UN/ID no.** UN 1090  
**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Primers.  
**Uses advised against** None known

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

### Emergency telephone number

**Company Phone Number** 407-322-4000  
**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

### Label elements

#### **Emergency Overview**

**Danger**

#### **Hazard statements**

Causes serious eye irritation  
Suspected of damaging fertility or the unborn child  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor

**Appearance** No information available**Physical state** Liquid**Odor** Acetone**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Use explosion-proof electrical/ ventilating/ lighting/ equipment  
 Keep cool

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

May be harmful if inhaled  
 Harmful to aquatic life with long lasting effects  
 Harmful to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
ACETONE	67-64-1	60 - 100	*
2-ETHYLHEXANOIC ACID	149-57-5	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable extinguishing media** None.

##### Specific hazards arising from the chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

**Hazardous combustion products** Carbon oxides. Nitrogen oxides (NO<sub>x</sub>). Irritating organic vapors.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks and open flame.

**For emergency responders** Use personal protection recommended in Section 8.

##### Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

**Methods for cleaning up** Remove all sources of ignition. Soak up with inert absorbent material. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store at temperatures not exceeding 49 °C/ 120 °F. Keep container tightly closed in a dry and well-ventilated place.

**Incompatible materials** Strong oxidizers. Peroxides.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONE 67-64-1	STEL: 500 ppm TWA: 250 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors. (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>
2-ETHYLHEXANOIC ACID 149-57-5	TWA: 5 mg/m <sup>3</sup> inhalable fraction and vapor	-	-

**Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Acetone
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	Green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	Does not apply	
<b>Melting point / freezing point</b>	-95 °C / -139 °F	
<b>Boiling point / boiling range</b>	56 °C / 132.8 °F	
<b>Flash point</b>	-20 °C / -4 °F	
<b>Evaporation rate</b>	5.6 (Butyl Acetate =1)	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	12.8% Acetone	
<b>Lower flammability limit:</b>	2.5% Acetone	
<b>Vapor pressure</b>	247 mbar @ 20 °C	
<b>Vapor density</b>	2.0	
<b>Relative density</b>	0.794	
<b>Water solubility</b>	Miscible in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition coefficient</b>	No information available	
<b>Autoignition temperature</b>	465 °C / 869 °F	
<b>Decomposition temperature</b>	> 4 °C	
<b>Kinematic viscosity</b>	No information available	
<b>Dynamic viscosity</b>	No information available	
<b>Explosive properties</b>	No information available	
<b>Oxidizing properties</b>	No information available	

### Other Information

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	1.48 %
<b>Density</b>	0.790
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### Incompatible materials

Strong oxidizers. Peroxides.

### Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	May cause irritation of respiratory tract.
<b>Eye contact</b>	Irritating to eyes.
<b>Skin contact</b>	Irritating to skin.
<b>Ingestion</b>	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE 67-64-1	= 5800 mg/kg ( Rat )	> 15700 mg/kg ( Rabbit )	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h
2-ETHYLHEXANOIC ACID 149-57-5	= 1600 mg/kg ( Rat )	= 1140 mg/kg ( Rabbit )	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

<b>ATEmix (oral)</b>	5,847.00 mg/kg
<b>ATEmix (dermal)</b>	15,842.40 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	101.00 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACETONE 67-64-1	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
TRIBUTYLAMINE 102-82-9	3.6: 72 h Scenedesmus subspicatus mg/L EC50	30: 24 h Semotilus atromaculatus mg/L LC50	6.1 - 10.8: 48 h Daphnia magna mg/L EC50
2-ETHYLHEXANOIC ACID 149-57-5	61: 72 h Desmodesmus subspicatus mg/L EC50 41: 96 h Desmodesmus subspicatus mg/L EC50	70: 96 h Pimephales promelas mg/L LC50	85.4: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
ACETONE 67-64-1	-0.24
2-ETHYLHEXANOIC ACID 149-57-5	2.7

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** D001

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETONE 67-64-1	-	Included in waste stream: F039	-	U002

Chemical Name	California Hazardous Waste Status
ACETONE 67-64-1	Ignitable

### 14. TRANSPORT INFORMATION

**DOT**

UN/ID no. UN 1090  
 Proper shipping name Acetone  
 Hazard Class 3  
 Packing Group II  
 Special Provisions None

**IATA**

UN/ID no. UN 1090  
 Proper shipping name Acetone  
 Hazard Class 3  
 Packing Group II  
 Special Provisions None

**IMDG**

UN/ID no. UN 1090  
 Proper shipping name Acetone  
 Hazard Class 3  
 Packing Group II  
 EmS-No. F-E, S-D  
 Special Provisions None

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	No
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETONE 67-64-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE 67-64-1	X	X	X
2-ETHYLHEXANOIC ACID 149-57-5	X	-	-



U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection X
Prepared By	SDS coordinator			
Issue Date	15-Sep-2017			
Revision Date	11-Oct-2017			
Revision Note	No information available			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**