

Issue Date 09-Jul-2015

Revision Date 23-Oct-2017

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Nuts N' Bolts

### Other means of identification

**Product Code** MS-230

**UN/ID no.** None

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Adhesives.

**Uses advised against** None known

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

### Emergency telephone number

**Company Phone Number** 407-322-4000

**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

### Label elements

#### **Emergency Overview**

#### **Danger**

#### **Hazard statements**

Harmful if inhaled  
Causes skin irritation  
Causes serious eye irritation  
May cause an allergic skin reaction  
Suspected of causing cancer  
May damage fertility or the unborn child



#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	No attempt should be made to remove material from skin or to remove contaminated clothing, as bonded skin can be easily torn. Wash with large volumes of soap and water while flexing bonded skin parts. This procedure will slowly release bonded areas. DO NOT attempt to pull skin apart forcibly.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable extinguishing media** No information available.

##### Specific hazards arising from the chemical

No information available.

**Hazardous combustion products** Carbon oxides. Nitrogen oxides (NO<sub>x</sub>). Irritating organic vapors.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with eyes and skin. Use personal protective equipment as required.

**For emergency responders** Use personal protection recommended in Section 8.

##### Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Store in a closed container until ready for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep at temperatures between 7 and 29 °C.

**Incompatible materials** Reducing agents. Strong oxidizers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DIBUTYL PHTHALATE 84-74-2	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 4000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	liquid	<b>Odor</b>	mild
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	yellow		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	No information available	Does not apply
<b>Melting point / freezing point</b>	No information available	
<b>Boiling point / boiling range</b>	> 150 °C / 300 °F	
<b>Flash point</b>	> 93 °C / 200 °F	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	

<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	< 5 mm at 80°F
<b>Vapor density</b>	No information available
<b>Relative density</b>	1.06
<b>Water solubility</b>	slightly soluble
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	1.8 %
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

<b>10. STABILITY AND REACTIVITY</b>
-------------------------------------

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

No information available.

**Incompatible materials**

Reducing agents. Strong oxidizers.

**Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

<b>11. TOXICOLOGICAL INFORMATION</b>
--------------------------------------

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Harmful by inhalation.
<b>Eye contact</b>	Avoid contact with eyes.
<b>Skin contact</b>	Harmful in contact with skin.
<b>Ingestion</b>	May be harmful if swallowed.

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
----------------------	------------------	--------------------	------------------------

DIBUTYL PHTHALATE 84-74-2	= 7499 mg/kg ( Rat )	> 20 mL/kg ( Rabbit )	> 15.68 mg/L ( Rat ) 4 h
Hydroxypropyl Methacrylate 27813-02-1	= 11200 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	-
Cumene Hydroperoxide 80-15-9	= 382 mg/kg ( Rat )	= 0.126 mL/kg ( Rabbit )	= 220 ppm ( Rat ) 4 h
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	= 1650 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 1400 mg/m <sup>3</sup> ( Rat ) 4 h

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Irritating to skin.  
**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	-	Group 2B	-	X

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 3,066.00 mg/kg  
**ATEmix (dermal)** 6,474.00 mg/kg  
**ATEmix (inhalation-dust/mist)** 3.89 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIBUTYL PHTHALATE 84-74-2	1.2: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 0.4: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static	0.31 - 5.45: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.42 - 1.28: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.71 - 1.2: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 1.24 - 5.3: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 1.38 - 1.74: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 1.24: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	2.99: 48 h <i>Daphnia magna</i> mg/L EC50 Static 3.4: 48 h <i>Daphnia magna</i> mg/L EC50
Hydroxypropyl Methacrylate 27813-02-1	-	493: 48 h <i>Leuciscus idus melanotus</i> mg/L LC50 static	-
Cumene Hydroperoxide 80-15-9	-	3.9: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	7: 24 h <i>Daphnia magna</i> mg/L EC50
Insoluble Saccharin 81-07-2	-	18300: 96 h <i>Pimephales promelas</i> mg/L LC50	-
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	-	42 - 50.5: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
DIBUTYL PHTHALATE 84-74-2	5.38
Hydroxypropyl Methacrylate 27813-02-1	0.97
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	2.81

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

**US EPA Waste Number**

Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIBUTYL PHTHALATE 84-74-2	U069	Included in waste stream: F039	-	U069
Cumene Hydroperoxide 80-15-9	-	-	-	U096
METHANOL 67-56-1	-	Included in waste stream: F039	-	U154
NAPHTHOQUINONE 130-15-4	U166	Included in waste stream: K024	-	U166

Chemical Name	California Hazardous Waste Status
Cumene Hydroperoxide 80-15-9	Toxic Ignitable

**14. TRANSPORT INFORMATION****DOT**

UN/ID no. Not regulated  
 Proper shipping name None  
 Hazard Class Not regulated  
 Packing Group None  
 Special Provisions None

**IATA**

UN/ID no. Not regulated  
 Proper shipping name None  
 Hazard Class Not regulated  
 Packing Group None

<b>Special Provisions</b>	None
<b>IMDG</b>	Not regulated
<b>UN/ID no.</b>	None
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	None
<b>Packing Group</b>	None
<b>Special Provisions</b>	None
<b>RID</b>	Not regulated
<b>UN/ID no.</b>	None
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	None
<b>Packing Group</b>	None
<b>Special Provisions</b>	None
<b>ADR</b>	Not regulated
<b>UN/ID no.</b>	None
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	None
<b>Packing Group</b>	None
<b>Special Provisions</b>	None

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIBUTYL PHTHALATE - 84-74-2	1.0
Cumene Hydroperoxide - 80-15-9	1.0

#### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No



Sudden release of pressure hazard No  
 Reactive Hazard Yes

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
DIBUTYL PHTHALATE 84-74-2	10 lb	X	X	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIBUTYL PHTHALATE 84-74-2	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
Cumene Hydroperoxide 80-15-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
DIBUTYL PHTHALATE - 84-74-2	Developmental Female Reproductive Male Reproductive
N,N-DIMETHYL-P-TOLUIDINE - 99-97-8	Carcinogen
METHANOL - 67-56-1	Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIBUTYL PHTHALATE 84-74-2	X	X	X
Cumene Hydroperoxide 80-15-9	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**NFPA** Health hazards 0 Flammability 0 Instability 0 Physical and Chemical Properties -  
**HMIS** Health hazards 2\* Flammability 1 Physical hazards 1 Personal protection X

Prepared By SDS coordinator  
 Issue Date 09-Jul-2015  
 Revision Date 23-Oct-2017

**Revision Note**

No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet