

Issue Date 02-Feb-2017

Revision Date 09-Mar-2018

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Ammunition Sealant 76061

### Other means of identification

**Product Code** MS-76061  
**UN/ID no.** UN 3082  
**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Ammunition Sealant.  
**Uses advised against** None known

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

### Emergency telephone number

**Company Phone Number** 407-322-4000  
**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2


### Label elements

#### **Emergency Overview**

#### **Danger**

#### **Hazard statements**

Harmful in contact with skin  
Harmful if inhaled  
Causes skin irritation  
Causes serious eye damage  
May cause an allergic skin reaction  
May cause respiratory irritation  
May cause damage to organs through prolonged or repeated exposure



<b>Appearance</b> No information available	<b>Physical state</b> Liquid	<b>Odor</b> Mild
--	------------------------------	------------------

**Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection  
 Use only outdoors or in a well-ventilated area  
 Wash face, hands and any exposed skin thoroughly after handling  
 Contaminated work clothing should not be allowed out of the workplace  
 Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

Get medical advice/attention if you feel unwell  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN: Wash with plenty of soap and water  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 Take off contaminated clothing and wash before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
 Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

May be harmful if swallowed  
 Toxic to aquatic life with long lasting effects  
 Toxic to aquatic life

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
ISODECYL ACRYLATE	1330-61-6	30 - 60	*
DIPROPYLENE GLYCOL DIACRYLATE	57472-68-1	30 - 60	*
PHOTOINITIATOR	162881-26-7	1 - 5	*
ACRYLIC ACID	79-10-7	1 - 5	*
CUMENE HYDROPEROXIDE	80-15-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

**Unsuitable extinguishing media** No information available.

##### Specific hazards arising from the chemical

No information available.

**Hazardous combustion products** Irritating organic vapors.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

##### Environmental precautions

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Store in a closed container until ready for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep at temperatures between 7 and 29 °C.

**Incompatible materials** Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID 79-10-7	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup> (vacated) S*	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Wear protective nitrile rubber gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Mild
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Does not apply	

<b>Melting point / freezing point</b>	No information available
<b>Boiling point / boiling range</b>	> 94 °C / 201 °F
<b>Flash point</b>	> 94 °C / 201 °F
<b>Evaporation rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Relative density</b>	0.9652
<b>Water solubility</b>	No information available
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Incompatible materials.

**Incompatible materials**

Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

**Hazardous Decomposition Products**

Irritating organic vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	No data available.
<b>Skin contact</b>	No data available.
<b>Ingestion</b>	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ISODECYL ACRYLATE 1330-61-6	= 12 g/kg ( Rat ) = 12300 µL/kg ( Rat )	= 3540 µL/kg ( Rabbit ) = 3540 mg/kg ( Rabbit )	-
DIPROPYLENE GLYCOL DIACRYLATE 57472-68-1	= 4600 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-
PHOTOINITIATOR 162881-26-7	> 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
ACRYLIC ACID 79-10-7	= 193 mg/kg ( Rat ) = 33500 µg/kg ( Rat )	= 280 µL/kg ( Rabbit ) = 295 mg/kg ( Rabbit )	= 11.1 mg/L ( Rat ) 1 h = 3.6 mg/L ( Rat ) 4 h
CUMENE HYDROPEROXIDE 80-15-9	= 382 mg/kg ( Rat )	= 0.126 mL/kg ( Rabbit )	= 220 ppm ( Rat ) 4 h

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID 79-10-7	-	Group 3	-	-

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 2,815.00 mg/kg

**ATEmix (dermal)** 1,931.00 mg/kg

**ATEmix (inhalation-dust/mist)** 1.10 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACRYLIC ACID 79-10-7	0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	95: 48 h Daphnia magna mg/L EC50 270: 24 h Daphnia magna mg/L LC50 Static
CUMENE HYDROPEROXIDE 80-15-9	-	3.9: 96 h Oncorhynchus mykiss mg/L LC50 static	7: 24 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

Chemical Name	Partition coefficient
ACRYLIC ACID 79-10-7	0.38 - 0.46

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID 79-10-7	-	-	-	U008
CUMENE HYDROPEROXIDE 80-15-9	-	-	-	U096

Chemical Name	California Hazardous Waste Status
CUMENE HYDROPEROXIDE 80-15-9	Toxic Ignitable

**14. TRANSPORT INFORMATION**

**DOT**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isodecyl acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** 8, 146, 173, 335, IB3, T4, TP1, TP29  
**Marine pollutant** Yes  
**Description** Note: Not regulated for ground transport

**IATA**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isodecyl acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** A97, A158, A197  
**Description** Limited Quantities: 5 L, 30 kg gross weight

**IMDG**

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Isodecyl acrylate)  
**Hazard Class** 9  
**Packing Group** III  
**EmS-No.** F-A, S-F  
**Special Provisions** 274, 335, 969  
**Marine pollutant** Yes  
**Description** Limited Quantities: 5 L, 30 kg gross weight

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies

AICS Complies

All ingredients are on the inventory or are exempt from listing.

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
CUMENE HYDROPEROXIDE - 80-15-9	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID 79-10-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE 80-15-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	X	X	X
CUMENE HYDROPEROXIDE 80-15-9	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable



**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 3*	Flammability 1	Physical hazards 1	Personal protection -

Prepared By	SDS coordinator
Issue Date	02-Feb-2017
Revision Date	09-Mar-2018
Revision Note	No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**